FORM-PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT, AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER (Rev. 12-29-99) TRANSMITTAL LETTER TO THE UNITED STATES 032326-161 DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. APPLICATION NO. (if known, see 37 C.F.R. 1.5) CONCERNING A FILING UNDER 35 U.S.C. 371 PRIORITY DATE CLAIMED INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PCT/FR00/00130 20 January 2000 17 February 1999 TITLE OF INVENTION METHOD FOR COUNTERMEASURE IN AN ELECTRONIC COMPONENT USING A SECRET KEY ALGORITHM APPLICANT(S) FOR DO/EO/US Jean-Sebastien CORON, Nathalie FEYT and Olivier BENOIT Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 2 \boxtimes This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination 3. until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1). \boxtimes A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 4. 5. \boxtimes A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is transmitted herewith (required only if not transmitted by the International Bureau). has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US) \bowtie A translation of the International Application into English (35 U.S.C. 371(c)(2)). 6. \boxtimes Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. 8. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). \Box An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 10 Items 11. to 16. below concern other document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. \boxtimes 13. A FIRST preliminary amendment. П A SECOND or SUBSEQUENT preliminary amendment.

A substitute specification.

Other items or information:

A change of power of attorney and/or address letter.

i.s. applicătion no. (if kno Jnassigned	097973884	INTERNATIONAL APPLICATIO PCT/FR00/00130	N NO.		0323	26-161
Znassignea				CALC	ULATIONS	PTO USE ONLY
	fees are submitted:				<u></u>	
asic National Fee (37 C		127 CER 1 482)				
nor international sea and International Se	l preliminary examination fee arch fee (37 CFR 1.445(a)(2)) arch Report not prepared by 1	the EPO or JPO	. \$1,000.00 (960)			
USPTO but Internat	nary examination fee (37 CFF ional Search Report prepared	by the EPO or JPO	\$860.00 (970)			
but international se	nary examination fee (37 CFF arch fee (37 CFR 1.445(a)(2))	paid to USPTO	\$710.00 (958)			
but all claims did no	inary examination fee paid to ot satisfy provisions of PCT A	rticle 33(1)-(4)	\$690.00 (956)			
International prelim and all claims satisf	inary examination fee paid to fied provisions of PCT Article	33(1)-(4)			260.00	
	ENTER	APPROPRIATE BASIC F	EE AMOUNT =	\$	860.00	
urcharge of \$130.00 (nonths from the earliest	154) for furnishing the oath o	r declaration later than R 1.492(e)).	20 🗆 30 🗆			
Claims	Number Filed	Number Extra	Rate			
otal Claims	20 -20 =	-0-	X\$18.00 (966)	\$	-0-	
dependent Claims	2 -3 =	-0-	X\$80.00 (964)	\$	-0-	- N. Je
ultiple dependent clair	n(s) (if applicable)		+ \$270.00 (968)	\$	-0-	
diapio departe in		TOTAL OF ABOVE CA	LCULATIONS =	\$	860.00	
eduction for 1/2 for fil	ing by small entity, if applicat			\$	-0-	-
Sadd to 11 17 17 17 19 18			SUBTOTAL =	\$	860.00	
rocessing fee of \$130 nonths from the earlies	.00 (156) for furnishing the E t claimed priority date (37 CF	nglish translation later than R 1.492(f)).	20 🗆 30 🗆	\$	-O-	
	-	TOTAL N	IATIONAL FEE =	\$	-0-	
ee for recording the er n appropriate cover sh	nclosed assignment (37 CFR 1 eet (37 CFR 3.28, 3.31). \$4	I.21(h)). The assignment mu: 0.00 (581) per property +	st be accompanied by	\$	-0-	
			ES ENCLOSED =	\$	860.00	
				1	Amount to be: refunded	\$
					charged	\$
					chargea	
	status is hereby claimed.					
b. 🛭 A check in	the amount of \$ <u>860.00</u>	to cover the above fees is	enclosed.			
is enclosed						•
Account No	issioner is hereby authorized to . <u>02-4800</u> . A duplicate copy	y of this sheet is enclosed.				
NOTE: Where a must be filed an	n appropriate time limit under d granted to restore the applic	37 CFR 1.494 or 1.495 has cation to pending status.	not been met, a petitio	on to re	evive (37 CFR 1	I.137(a) or (b))
SEND ALL CORRESPONDENCE TO:			(5	,		
James A. LaBarre Burns, Doane, Swecker & Mathis, L.L.P. SIGNATURE						
P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620 NAME						
(703) 63		<u>28</u>	3,632			
		RE	GISTRATION NUMBER	٦.		

Becamen a para a successive de la company de

0913004 09/912004 518 Rec'd PCT/PNO 17 AUG 2001

Patent Attorney's Docket No. <u>032326-161</u>

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Jean-Sebastien CORON et al) Group Art Unit: Unassigned
Application No.: Unassigned) Examiner: Unassigned
Filed: August 17, 2001)
For: METHOD FOR)
COUNTERMEASURE IN AN ELECTRONIC COMPONENT)
USING A SECRET KEY)
ALGORITHM)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Prior to examination and the calculation of filing fees, kindly amend the aboveidentified application as follows.

All references are to the version of the application appearing in the Annex to the International Preliminary Examination Report.

IN THE SPECIFICATION:

Page 1, immediately following the title appearing on lines 1 and 2, insert the following:

--This disclosure is based upon, and claims priority from French Application No. 99/01937, filed on February 17, 1999 and International Application No. PCT/FR00/00130,

filed January 20, 2000, which was published on August 24, 2000 in a language other than English, the contents of which are incorporated herein by reference.

Background of the Invention-

Page 5, between lines 5 and 6, insert the following heading:

--Summary of the Invention--

Page 6, before line 25, insert the following heading:

--Brief Description of the Drawings--.

Page 7, before line 18, insert the following heading:

-- Detailed Description--.

Add the following Abstract:

--A countermeasure method in an electronic component using a secret key algorithm K on an input message M executes an operation $O_{PN}(D)$ on input data D. A random value, of one first random information U, is generated that is of identical size as the input information D. A second random information V, is calculated by performing an exclusive OR operation between the input information and the first random information U. The operation O_{PN} or the sequence of operations are successively executed on the first input information U and to the second random information V, supplying respectively a first random result $O_{PN}(U)$ and a second random result $O_{PN}(V)$.--

IN THE CLAIMS:

Cancel claims 9, 11 and 12.

Kindly replace claims 1-8 and 10, as follows.

- 1. (Amended) A countermeasure method in an electronic component using a cryptographic algorithm with a secret key K on an input message (M), of the type in which an operation (OPN) or a sequence of operations comprising a bit by bit manipulation of an input data item (D) is executed, in order to supply an output data item (OPN(D)), said operation comprising the following steps:
- drawing a first random data item (U), having the same size as the input data item (D);
- calculating a second random data item (V), by performing an exclusive OR operation between the input data item and the first random data item (U);
- executing the operation (OPN) or the sequence of operations on the first random data item (U) and the second random data item (V), to thereby generate respectively a first random result (OPN(U)) and a second random result (OPN(V)).
- 2. (Amended) A countermeasure method according to Claim 1, further including the following step:
- calculating the output data item (OPN(D)) by performing an exclusive OR operation between the first and second random results.

COSISBUL OSCEDE

Application No. <u>Unassigned</u>
Attorney's Docket No. <u>032326-161</u>
Page 4

- 3. (Amended) A countermeasure method according to Claim 1 wherein said steps are performed during operations relating to data calculated from the input message.
- 4. (Amended) A countermeasure method according to claim 1, wherein a new random value (U) is drawn at each new execution of said operation or sequence of operations.
- 5. (Amended) A countermeasure method according to Claim 1, wherein said steps are performed as part of an operation or a sequence of operations performed on said secret key.
- 6. (Amended) A countermeasure method according to Claim 5, wherein the cryptography algorithm is carried out in several calculation rounds comprising a sequence of operations on the secret key K in order to supply, at each round, a corresponding subkey (K_i) , and wherein said steps are applied to said sequence of operations in order to supply, at each round, a first random result (K_{iY}) and a second random result (K_{iZ}) .
- 7. (Amended) A countermeasure method according to Claim 6, wherein, for each round, the following steps are performed:
- calculating an exclusive OR result between an input data item for that round and the first random result (K_{iY}) in order to supply an intermediate result and;

OGGISEBU OSGBOP

Application No. <u>Unassigned</u>
Attorney's Docket No. <u>032326-161</u>
Page 5

- calculating an exclusive OR result between said intermediate result and the second random result $(K_{iZ'})$ in order to supply an output data item for that round.

- 8. (Amended) A countermeasure method according to claim 1, wherein a new random value is drawn at each new execution of the cryptography algorithm.
- 10. (Amended) A countermeasure method according to claim 1, wherein said cryptographic algorithm is the DES algorithm.
- 13. (New) A countermeasure method according to Claim 5 wherein said steps are performed during operations relating to data calculated from the input message.
- 14. (New) A countermeasure method according to claim 5, wherein a new random value (U) is drawn at each new execution of said operation or sequence of operations.
- 15. (New) A countermeasure method according to Claim 6 wherein said steps are performed during operations relating to data calculated from the input message.
- 16. (New) A countermeasure method according to claim 6, wherein a new random value (U) is drawn at each new execution of said operation or sequence of operations.

- 17. (New) A countermeasure method according to Claim 7 wherein said steps are performed during operations relating to data calculated from the input message.
- 18. (New) A countermeasure method according to claim 7, wherein a new random value (U) is drawn at each new execution of said operation or sequence of operations.
- 19. (New) An electronic security component of the type in which a cryptographic algorithm with a secret key is applied to an input message using bit-by-bit manipulation of an input data item D to calculate an output data item, comprising:

means for generating a first random data item U having the same size as said input data item D;

means for performing an exclusive-OR operation on said input data item D and said first random data item U, to generate a second random data item V; and

means for executing said bit-by-bit manipulation on said first random data item U and said second random data item V to generate a first random result and a second random result.

20. (New) The electronic security component of claim 19, further including means for performing an exclusive-OR operation on said first and second random results to generate said output data item.

- 21. (New) The electronic security component of claim 19, wherein said cryptographic algorithm comprises a plurality of calculation rounds, and wherein said first and second random results are generated during each calculation round.
- 22. (New) The electronic security component of claim 21, wherein said executing means performs the following steps during each calculation round:
- calculating an exclusive OR result between an input data item for that round and the first random result in order to supply an intermediate result and;
- calculating an exclusive OR result between said intermediate result and the second random result in order to supply an output data item for that round.
- 23. (New) The electronic security component of claim 19, wherein said means for generating a first random data item generates a new random data item for each calculation round.

REMARKS

Entry of the foregoing amendment is respectfully requested. This amendment is intended to place the claims in a more conventional format and eliminate the multiple dependency of the claims.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Bv

James A. LaBarre

Registration No. 28,632

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: August 17, 2001

Application No. Unassigned Attorney's Docket No. 032326-161 Page 1

Attachment to Preliminary Amendment dated August 17, 2001

Marked-up Claims 1-12

- 1. (Amended) A countermeasure method in an electronic component using a cryptographic algorithm with a secret key K on an input message (M), [characterised in that the execution of] of the type in which an operation (OPN) or [of] a sequence of operations comprising a bit by bit manipulation of an input data item (D) is executed, in order to supply an output data item (OPN(D)), [comprises] said operation comprising the following steps:
- drawing a [random value, of a] first random data item (U), [with] <u>having</u> the same size as the input data item (D);
- calculating a second random data item (V), [effecting] by performing an exclusive OR operation between the input data item and the first random data item (U);
- executing the operation (OPN) or the sequence of operations [following on from] on the first random data item (U) and the second random data item (V), [supplying] to thereby generate respectively a first random result (OPN(U)) and a second random result (OPN(V)).
- 2. (Amended) A countermeasure method according to Claim 1, [also comprising] <u>further including</u> the following step:
- calculating the output data item (OPN(D)) [effecting] by performing an exclusive OR operation between the first and second random results.

Application No. Unassigned Attorney's Docket No. 032326-161 Page 2

Attachment to Preliminary Amendment dated August 17, 2001 Marked-up Claims 1-12

- 3. (Amended) A countermeasure method according to Claim 1 [or 2, characterised in that it is applied to operations (EXP PERM, P PERM)] wherein said steps are performed during operations relating to data calculated from the input message [(M)].
- 4. (Amended) A countermeasure method according to [any one of the preceding claims, characterised in that] <u>claim 1, wherein</u> a new random value (U) is drawn at each new execution of [the] said operation or sequence of operations.
- 5. (Amended) A countermeasure method according to Claim 1, [applied to] wherein said steps are performed as part of an operation or a sequence of operations [(KEY PERM, SHIFT, COMP PERM)] performed on [the] said secret key [(K)].
- 6. (Amended) A countermeasure method according to Claim 5, wherein the cryptography algorithm [comprising] is carried out in several calculation rounds[, and] comprising a sequence of operations on the secret key K in order to supply, at each round, $[(T_i),]$ a corresponding subkey (K_i) , [a method characterised in that it is] and wherein said steps are applied to [the] said sequence of operations in order to supply, at each round, a first random result (K_{iY}) and a second random result (K_{iZ}) .

Application No. Unassigned Attorney's Docket No. 032326-161 Page 3

Attachment to Preliminary Amendment dated August 17, 2001 Marked-up Claims 1-12

- 7. (Amended) A countermeasure method according to Claim 6, wherein, for each round, [(Ti) an exclusive OR operation between the subkey (K_i) and an input data item (1) in order to supply an output data item (b), characterised in that this operation is replaced by the following operations] the following steps are performed:
- calculating [the] an exclusive OR result between [the said] an input data item [(1)] for that round and the first random result $(K_{iY'})$ in order to supply an intermediate result [(b')] and;
- calculating [the] \underline{an} exclusive OR \underline{result} between [the] said intermediate result [(b')] and the second random result $(K_{iZ'})$ in order to supply [the said] \underline{an} output data item [(b)] \underline{for} that \underline{round} .
- 8. (Amended) A countermeasure method according to [any one of Claims 1, 2, 3, 5, 6 and 7, characterised in that] <u>claim 1, wherein</u> a new random value [(U or Z)] is drawn at each new execution of the cryptography algorithm.
- 10. (Amended) A countermeasure method according to [any one of the preceding claims, characterised in that it is applied to] <u>claim 1</u>, <u>wherein said cryptographic algorithm is</u> the DES algorithm.

TRANSLATION OF THE ANNEX TO THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

A COUNTERMEASURE METHOD IN AN ELECTRONIC COMPONENT USING A SECRET KEY CRYPTOGRAPHY ALGORITHM

5

10

15

The present invention concerns a countermeasure method in an electronic component using a secret key cryptography algorithm. They are used in applications where access to services or to data is strictly controlled. Such components have an architecture formed around a microprocessor and memories, including a program memory which contains the secret key.

These components are notably used in smart cards, for certain applications thereof. These are for example applications involving access to certain databanks, banking applications, remote payment applications, for example for television, petrol dispensing or passing through motorway tolls.

These components or cards therefore use a secret key cryptography algorithm, the best known of which is the DES algorithm (standing for Data Encryption Standard in British and American literature). Other

Decreio de la laboración de calendar par la ligar de la calendar de la ligar de la la calenda de la facilita d

secret key algorithms exist, such as the RC5 algorithm or the COMP128 algorithm. This list is of course not exhaustive.

In general terms and briefly, the function of these algorithms is to calculate an enciphered message from a message applied at the input (to the card) by a host system (a server, banking dispenser etc) and the secret key contained in the card, and supplying this enciphered message in return to the host system, which for example enables the host system to authenticate the component or the card, to exchange data etc.

10

15

20

25

The characteristics of the secret key cryptography algorithms are known: calculations made, parameters used. The only unknown is the secret key contained in program memory. All the security of these cryptography algorithms relates to this secret key contained in the card and unknown to the world outside this card. This secret key cannot be deduced solely from knowledge of the message applied as an input and the enciphered message supplied in return.

However, it has become apparent that external attacks, based on current consumptions or a differential current consumption analysis when the microprocessor of a card is running the cryptography algorithm in order to calculate an enciphered message, enable ill-intentioned third parties to find the secret key contained in this card. These attacks are referred to as DPA attacks, the English acronym for Differential Power Analysis.

The principle of these DPA attacks is based on the fact that the current consumption of the microprocessor executing the instructions varies according to the data being manipulated.

5

10

15

20

25

30

Notably, when an instruction executed by the microprocessor requires manipulation of data bit by bit, there are two different current profiles depending on whether this bit is "1" or "0". Typically, if the microprocessor manipulates a "0", there is at this time of execution a first consumed current amplitude, and if the microprocessor manipulates a "1" there is a second consumed current amplitude, different from the first.

Thus the DPA attack exploits the difference in current consumption profile in the card during the execution of an instruction according to the value of the bit manipulated. In simplified terms, conducting a attack consists of identifying one or particular periods during which the algorithm is run comprising the execution of at least one instruction manipulating data bit by bit; reading a very large number N of current consumption curves during this period or periods, one curve per different message to which the algorithm is applied; predicting, for each curve, the value taken by a bit of the data for an assumption on a subkey, that is to say on at least part of the secret key, which makes it possible to make the prediction; and making a sort of the curves according to the corresponding Boolean selection function: a first packet of curves is obtained for which the prediction is "1" and a second packet of curves for

y a ing dama ditingaka dipakéhang pigipang pigupag pang kandaran a pakulikalay palabimingadi mililiba di mara m

4

which the prediction is "0". By making a differential analysis of the mean current consumption between the two packets of curves obtained, an information signal DPA(t) is obtained. If the subkey assumption is not correct, each packet in reality comprises as many curves corresponding to the manipulation of a "1" as there are curves manipulating a "0". The two packets therefore equivalent in terms of consumption and the information signal is substantially If the subkey assumption is correct, one packet actually comprises the curves corresponding to the manipulation of a "0" and the other packet actually comprises the curves corresponding to the manipulation of a "0": the information signal DPA(t) is not zero: it comprises consumption peaks corresponding manipulation by the microprocessor of the bit on which These peaks have an amplitude the sorting is based. corresponding to the difference in consumption by the microprocessor depending on whether it is manipulating a "1" or a "0". Thus, step by step, it is possible to discover all or part of the secret key contained in an electronic component.

5

10

15

20

25

30

There are many secret key algorithms for the execution of which the microprocessor must at certain times manipulate data bit by bit.

Notably, the algorithms generally comprise permutations which require such manipulations by the microprocessor. By analysing the current consumption during the execution of these manipulations bit by bit, it is possible to find the value of some bits at least

na arang propinsi panggarang kanggarang kanggarang panggarang panggarang panggarang panggarang panggarang pang

of the data item manipulated. Knowledge of this data item can supply information on intermediate results obtained during the execution of the enciphering algorithm, which in their turn can make it possible to find at least some of the bits of the secret key used.

Three documents resembling the invention whilst being distinguished from it are cited below.

10

15

20

25

30

The first document "NTT Review, Vol. 6, N° 4, of 1 July 1997, pages 85-90, Miyaguchi S: "Secret ciphers that change the encipherment algorithm under the control of the key", XP000460342", denoted D1, concerns a resolution of a mathematical problem which avoids the known enciphered attacks with a message. The method described modifies the "key schedule", translated by "subpart of the key in the algorithm", of any secret key algorithm. However, this method no longer applies to the standard DES algorithm, a wellknown secret key algorithm. The technology described in this document consists of effecting data rotations and also data substitution.

The second document "Institute of Electrical and Electronics Engineers, IEEE Global Telecommunications Conference, Phoenix, Arizona, Nov. 3-8, 1997, vol. 2, 3 November 1997, pages 689-693, Yi X et al: "A method for obtaining cryptographically strong 8X8 S-boxes", XP000737626", denoted D2, concerns a proposal to improve the S-boxes in the standard DES algorithm intended to improve security on a cryptanalysis level, that is to say in mathematics, but not in physical cryptography.

particular and legal mad Prince has been the transport and the subsection of the contract of t

The third document "FR-A-2 672 402", denoted D3, concerns a method and device using the standard DES algorithm for constructing a random number generator. The DES algorithm is a secret key algorithm with data such as for example a counter intended to generate as an output a result which can be assimilated to a random number, a result situated outside the DES.

The object of the present invention is to protect the data on which manipulations are made bit by bit, by applying a countermeasure to them, that is to say a scrambling, so that the analysis of the current consumption during the manipulation of this data reveals no information on this data: the information signal DPA(t) will always be zero whatever the subkey or key assumptions made in the DPA attacks.

10

15

20

25

As claimed, the invention concerns a countermeasure method in an electronic component using a cryptographic algorithm with a secret key K.

According to the invention, the countermeasure method consists, for an operation or a series of operations applied to an input data item and comprising at least one manipulation bit by bit, of first drawing a first random data item of the same size as the first data item, calculating a second random data item by effecting an exclusive OR between the first random data item and the input data item, and successively applying the operation or series of operations to the first random data item and to the second random data item.

thurite illudiya. Vilena längehtu ta tukikaniska kapakata kainpakaturak eta kuru mengelipingenerak kam

In this way, the operation or series of operations manipulates only random data items so that it is no longer possible to implement a DPA attack.

In order to find the output data item corresponding to the application of the series of steps to the input data item, it suffices to calculate the exclusive OR between the first and second random results.

In a first method of applying this countermeasure method, the operation or series of operations relate to a data item calculated from the message to be enciphered.

10

15

20

25

30

an albah da na albah kemajaran penghilan kebilan kemada da kebilan da na albah kebilan da kebilan da na albah d

In a second method of applying the countermeasure method according to the invention, this method is applied to operations relating directly to the secret key and supplying, for each round of the algorithm, the subkey to be used.

In this method of applying the countermeasure method according to the invention, provision is made for effecting a first series of steps according to the method indicated above so that a first random subkey and a second random subkey are obtained.

In this variant, instead of calculating the true subkey for the round in question, these random subkeys are used, so that the true subkey of each round no longer appears in clear: only random subkeys are manipulated.

Thus the present invention is distinguished first of all from document D1 in that it concerns solely the DES without modifying its structure, nor its inputs,

nor its data outputs. The XOR operation used described below makes it possible to mask the data with a random parameter.

It is also distinguished from document D2 in that it deals with the problems of physical cryptographies, that is to say it sets out to resolve problems of implementation through the appearance of secondary effects; in addition does not concern the S-boxes but deals with the problems of security during compressions, permutations and expansions of data (cf Figure 1 described hereinafter).

10

15

25

Finally, it is distinguished from document D3 in that it uses a random number within the DES algorithm for protecting the execution of the DES against all types of attack.

Other characteristics and advantages of the invention are detailed in the following description given for indication and in no way limitatively, and with reference to the accompanying drawings, in which:

- Figures 1 and 2 are detailed flow diagrams of the first and second rounds of the DES algorithm;
 - Figure 3 depicts schematically the countermeasure method according to the invention applied to an operation effecting a data manipulation bit by bit;
 - Figure 4 depicts a first method of applying the countermeasure method according to the invention in the execution of the DES algorithm;
- Figure 5 depicts schematically the end of execution of the DES algorithm;

di dekament kije ga di pomigri da di distrikit di direktata kara dika pastega kitaban sara sa diputak di

- Figure 6 depicts schematically a second method of applying the method according to the invention to the operations of the DES algorithm manipulating the secret key; and
- Figure 7 depicts a detailed flow diagram of the DES algorithm in an application of the countermeasure method corresponding to the diagram in Figure 5; and
- Figure 8 depicts a block diagram of a smart card in which it is possible to implement the countermeasure method according to the invention.

10

15

20

The DES secret key cryptographic algorithm (hereinafter reference will be made more simply to the DES or to the DES algorithm) includes 16 calculation rounds, denoted T1 to T16, as depicted in Figures 1 and 2.

The DES begins with an initial permutation IP on the input message M (Figure 1). The input message M is a word f of 64 bits. After permutation, a word e of 64 bits is obtained, which is divided into two in order to form the input parameters LO and RO of the first round (T1). LO is a word d of 32 bits containing the 32 most significant bits of the word e. RO is a word h of 32 bits containing the 32 least significant bits of the word e.

The secret key K, which is a word q of 64 bits, itself undergoes a permutation and a compression in order to supply a word r of 56 bits.

no esta de la compación de la

The first round comprises an operation EXP PERM on the parameter R0, consisting of an expansion and a

permutation, in order to supply as an output a word 1 of 48 bits.

This word 1 is combined with a parameter K1, in an operation of the exclusive OR type denoted XOR, in order to supply a word b of 48 bits. The parameter K1, which is a word m of 48 bits, is obtained from the word r by a shift by one position (the operation denoted SHIFT in Figures 1 and 2) supplying a word p of 48 bits, to which an operation is applied comprising a permutation and a compression (the operation denoted COMP PERM).

10

15

20

25

ter Madditte prijes velski tjektek de de skriptier biografigieris i besk i de toe die besk en beteret deis

The word b is applied to an operation denoted SBOX, at the output of which a word a of 32 bits is obtained. This particular operation consists of supplying an output data a taken from a table of constants TC_0 according to an input data item b.

The word a undergoes a permutation P PERM, giving as an output the word c of 32 bits.

This word c is combined with the input parameter LO of the first round T1, in a logic operation of the exclusive OR type, denoted XOR, which supplies as an output the word g of 32 bits.

The word h (=R0) of the first round supplies the input parameter L1 of the following round (T2) and the word g of the first round supplies the input parameter R1 of the following round. The word p of the first round supplies the input r of the following round.

The other rounds T2 to T16 occur in a similar fashion, except with regard to the shift operation

SHIFT, which is effected on one or two positions according to the rounds in question.

Each round Ti thus receives as an input the parameters Li-1, Ri-1 and r and supplies as an output the parameters Li and Ri and r for the following round Ti+1.

5

10

15

20

25

30

At the end of the DES algorithm (Figure 4), the enciphered message is calculated from the parameters L16 and R16 supplied by the last round T16.

This calculation of the enciphered message C comprises in practice the following operations:

- forming a word e' of 64 bits by reversing the positions of the words L16 and R16 and then concatenating them;
- applying the permutation IP⁻¹ which is the reverse of that of the start of DES, in order to obtain the word f' of 64 bits forming the enciphered message C.

It can be seen that this algorithm comprises many operations manipulating the data bit by bit, like the permutation operation.

According to the countermeasure method according to the invention, a software countermeasure is applied when the microprocessor which calculates the enciphered message effects a manipulation bit by bit. In this way, the statistical processing and the Boolean selection function of the DPA attack applied to the current consumption curves no longer supplies any information: the signal DPA(t) remains zero whatever the subkey assumptions made.

The software countermeasure according to the invention then consists of making each of the bits manipulated by the microprocessor unpredictable.

The principle of this countermeasure is depicted in Figure 3.

Let an input data item be D.

10

15

20

25

Let there be an operation OPN to be calculated on this input data item D, the result of which is denoted OPN(D). This operation OPN requires a bit by bit manipulation of the input data item D by the microprocessor; it is a case for example of a permutation.

According to the invention, instead of applying the operation OPN to the input data item D in order to calculate the result OPN(D) of the operation, the following different steps are performed:

- drawing a random value for a first random data item U, of the same size as the input data item D (for example 32 bits);
- calculating a second random data item V by effecting an exclusive OR between the input data item and the first random data item: V = D XOR U;
 - calculating the operation OPN on the first
 random data item U, giving a first random result
 OPN(U);
 - calculating the operation OPN on the second random data item V, giving a second random result $OPN\left(V\right)$;

- calculating the result OPN(D) by effecting an exclusive OR between the first and second random results: OPN(D) = OPN(U) XOR OPN(V).

This method can equally well be applied to a single operation or to a series of operations.

5,

10

15

20

25

rid malar kanjin a standijili sebayini mata bahuda an gain gana atta atta bahu

A first method of applying the countermeasure method according to the invention concerns operations on data calculated from the message (M) to which the algorithm is applied. The input data item D is in this case a data item calculated from the message M.

In a practical example of this first method of application of the algorithm DES depicted in Figure 4, this method is applied on the one hand to the operation EXP PERM and on the other hand to the operation P PERM, which both comprise a permutation requiring a bit by bit manipulation of the input data item.

In the figure the application of this countermeasure to these operations is denoted CM(EXP PERM) and CM(P PERM).

The software countermeasure according to the invention then consists of performing, in place of each operation P PERM and EXP PERM, the operations CM(EXP PERM) and CM(P PERM) according to the calculation sequence described in Figure 3, using a random variable U. As each round of the algorithm comprises an operation EXP PERM and an operation P PERM, this countermeasure can be applied in each of the rounds of the DES.

Experience shows that it is the first three 30 rounds and the last three rounds which allow DPA

attacks. Afterwards, it becomes very difficult or even impossible to predict the bits.

Thus an implementation of a countermeasure method according to the invention which is less expensive in calculation time consists of applying only these first three and last three rounds of the DES.

Different variant applications of the countermeasure method according to the invention concern the drawing of a random value for the first random data item U. Depending on whether or not a great deal of calculation time is available, it is possible to draw a new random value each time, for each of the operations or series of operations for which the countermeasure method according to the invention is implemented.

10

15

20

25

30

Thus, in Figure 4, for the operation CM(EXP PERM), a value ul for the random data item U is drawn and, for the operation CM(P PERM), another value u2 is drawn for the random value U.

Or else it is possible to draw a new random value for each round of the algorithm, or a single random value at the start of the algorithm.

The implementation of the countermeasure method according to the invention depends principally on the applications concerned, depending on whether or not it is possible to devote a great deal of additional time to the countermeasure.

A second mode of applying the countermeasure method according to the invention is depicted in Figure 6. It concerns more particularly the calculation

ros con en antiquem interior de como ceix de en aproductiva de como de come de Societa de Ceixa de Ceixa de Co

operations applied to the secret key K in order to supply each of the subkeys Ki used in the rounds of the algorithm. In the example of the DES, these operations are the following KEY PERM, executed at the start of DES and SHIFT and COMP PERM executed at each round. During these operations, at certain times, the microprocessor separately manipulates a bit of the secret key, therefore leaving the possibility of a DPA attack on this bit.

The countermeasure method according to the invention is then applied by protecting the data item, the secret key in this case, before performing these operations, so that it is no longer possible to obtain information by DPA attack.

15

20

25

Thus, and as schematically shown in Figure 5, a random value of a first random data item Y is drawn, with the same size as the secret key K. A second random data item Z with the same size is calculated, making an exclusive OR between the secret key K and the first random data item Y: $Z = K \times K$

In the example, the sequence of operations comprises the following operations KEY PERM, SHIFT, COMP PERM. Then this sequence of operations is applied to each of the two random data items Y and Z, successively. Thus, from these two data items Y and Z applied successively as an input, the data items Y', $P_{iY'}$, $K_{iY'}$, or respectively Z', $P_{iZ'}$, $K_{iZ'}$ are obtained, at the output of the operations KEY PERM, SHIFT, COMP PERM.

A practical example of an application to the DES is shown in Figure 7.

In the DES, the operation KEY PERM is executed only once, at the start, whilst the sequence of operations SHIFT and COMP PERM is executed in each round.

In addition, the output of the operation SHIFT of a round Ti is applied as an input of the operation SHIFT of the following round Ti+1 (see Figures 1 and 2).

10

15

20

25

In order to apply the countermeasure method according to the second mode of application to this DES algorithm, the first operation KEY PERM is then applied to the random data Y and Z, which gives two intermediate random data, denoted Y' and Z'. These two intermediate random data are successively applied to the operations SHIFT of the first round T1, supplying two intermediate random data denoted P_{1Y} , and P_{1Z} . These two random data are on the one hand stored in working memory for the operation SHIFT of the following round (the second round), and on the other hand applied successively to the operation EXP PERM of the first round, in order to supply a first intermediate result K_{1Y} , and K_{1Z} .

This procedure is followed in each round. Thus, at each round Ti, a first random result is obtained: $K_{iY'} = EXP \ PERM \ (SHIFT \ (Y'))$ and a second random result: $K_{iZ'} = EXP \ PERM \ (SHIFT \ (Z'));$

and the intermediate random data SHIFT $(Y')=P_{iY'}$ and SHIFT $(Z')=P_{iZ'}$ are stored in working memory for the following round Ti+1.

For each round Ti, it would then be possible to recalculate the corresponding subkey Ki corresponding to the sequence of operations KEY PERM, SHIFT and COMP PERM of this round applied to the secret key K, making an exclusive OR between the two random results K_{iy} , and K_{iz} : $Ki = K_{iy}$, XOR K_{iz} .

However, preferably and as depicted in Figure 7, the subkey K_i of the round Ti is not recalculated. The first random result K_{ix} , is applied in place of the subkey K_i in an exclusive OR operation XOR with the data item 1 supplied by the permutation expansion operation EXP PERM. An intermediate result b' is obtained.

By then effecting an exclusive OR XOR of this intermediate result b' with the second random result K_{12} , the output data item b = XOR (1, Ki) is found. The following operations are then performed in each round Ti, in order to calculate the parameter b from 1:

 $b' = 1 XOR K_{iy}$ and

10

15

20

25

30

 $b=b^\prime$ XOR K_{iz^\prime} , as shown for the first and second rounds in Figure 6.

In this way, the secret subkey itself is no longer used in calculating the enciphered message, but "random subkeys": the key is then protected before and during the execution of the cryptographic algorithm, since $K_{i\,i'}$ and $K_{i\,i'}$ being random and not known to the external world of the component (or of the card), they

are liable to change at each new execution of the cryptography algorithm. It should be noted that, in the application of the countermeasure method according to the invention to the calculation and use of the subkeys, a random value is drawn only once, at the start of execution of the algorithm, before the operations on the secret key.

This second mode of applying the countermeasure method according to the invention to the secret key can advantageously be combined with the first mode of applying the countermeasure method to the calculation of the enciphered message proper, this combination making the countermeasure particularly effective.

10

15

20

25

المرافق ا وقد المرافق ال

The present invention applies to the DES secret key cryptography algorithm, for which examples of implementation have been described. It applies more generally to any secret key cryptography algorithm where the execution by the microprocessor of certain operations requires a bit by bit manipulation of data.

An electronic component 1 using a countermeasure method according to the invention in a DES secret key cryptography algorithm comprises typically, as shown in Figure 8, a microprocessor μP , a program memory 2 and a working memory 3. Means 4 of generating a random value are provided which, if reference is made to the flow diagrams in Figures 3 and 5, will supply the random values U and/or Y of the required size (32 bits for U, 64 bits for Y) at each execution of the cryptography algorithm. Such a component can particularly be used

in a smart card 5, in order to improve its resistance to tampering.

the first control of the control of

CLAIMS

10

15

20

- 1. A countermeasure method against attacks by differential analysis of current consumption in an electronic component using a cryptographic algorithm with a secret key K on an input message (M), characterised in that the execution of an operation (OPN) or of a sequence of operations comprising a bit by bit manipulation of an input data item (D), in order to supply an output data item (OPN(D)), comprises the following steps:
- drawing a random value, of a first random data item (U), with the same size as the input data item (D);
- calculating a second random data item (V), effecting an exclusive OR between the input data item and the first random data item (U);
 - executing the operation (OPN) or the sequence of operations following on from the first random data item (U) and the second random data item (V), supplying respectively a first random result (OPN(U)) and a second random result (OPN(V));
 - calculating the output data item (OPN(D)) effecting an exclusive OR between the first and second random results.
- 2. A countermeasure method according to Claim 1, characterised in that it is applied to operations (EXP PERM, P PERM) relating to data calculated from the input message (M).
- 3. A countermeasure method according to either one of the preceding claims, characterised in that a

new random value (U) is drawn at each new execution of the said operation or sequence of operations.

4. A countermeasure method according to Claim 1, applied to an operation or a sequence of operations (KEY PERM, SHIFT, COMP PERM) performed on the said secret key (K).

5

10

15

20

25

- 5. A countermeasure method according to Claim 4, the cryptography algorithm comprising several calculation rounds, and comprising a sequence of operations on the secret key K in order to supply, at each round, (T_i) , a corresponding subkey (K_i) , a method characterised in that it is applied to the said sequence of operations in order to supply, at each round, a first random result $(K_{iz'})$ and a second random result $(K_{iz'})$.
- 6. A countermeasure method according to Claim 5, each round (Ti) an exclusive OR operation between the subkey (K_i) and an input data item (1) in order to supply an output data item (b), characterised in that this operation is replaced by the following operations:
- calculating the exclusive OR between the said input data item (1) and the first random result $(K_{iY'})$ in order to supply an intermediate result (b');
- calculating the exclusive OR between the said intermediate result (b') and the second random result (K_{12}) in order to supply the said output data item (b).
- 7. A countermeasure method according to any one of Claims 1, 2, 3, 5 and 6, characterised in that a new random value (U or Z) is drawn at each new execution of the cryptography algorithm.

- 8. A countermeasure method according to any one of the preceding claims, characterised in that it is applied to the DES algorithm.
- 9. An electronic security component implementing the countermeasure method according to any one of the preceding claims, characterised in that it comprises means (4) of generating a random value, a microprocessor (µP), a program memory (2) and a working memory (3), the said means (4) supplying at least one random value (U) and/or (Y) of the required size, 32 bits for (U) and 64 bits for (Y), at each execution of the cryptography algorithm.



(12) DEMANDE INTERNATIONALE PUBLIÉE EN VERTU DU TRAITE DE COOPÉRATION EN MATIÈRE DE BREVETS (PCT)

(19) Organisation Mondiale de la Propriété Intellectuelle

Bureau international



TARAH BANKALI KI OLEHA BUKIN BUKIN ALAH MARAH KENDIN BERADA BANCAN KATUR BANCAN BANCAN BANCAN BANCAN BANCAN BA

(43) Date de la publication internationale 24 août 2000 (24.08.2000)

PCT

(10) Numéro de publication internationale WO 00/49765 A3

- (51) Classification internationale des brevets7: H04L 9/06
- (21) Numéro de la demande internationale :

PCT/FR00/00130

(22) Date de dépôt international :

20 janvier 2000 (20.01.2000)

(25) Langue de dépôt :

français

(26) Langue de publication :

français


- (30) Données relatives à la priorité : 99/01937 17 février 1999 (17.02.1999) FR
- (71) Déposant (pour tous les États désignés sauf US): GEM-PLUS [FR/FR]: Avenue Du Pic de Bertagne, Parc d'activités de Gémenos, F-13881 Gémenos (FR).

- (72) Inventeurs; et
- (75) Inventeurs/Déposants (pour US seulement): CORON, Jean-Sébastien [FR/FR]; 45, rue d'Ulm, F-75005 Paris (FR). FEYT, Nathalie [FR/FR]; 20, rue du Lieutenant J.P. Meschi, Bâtiment 6, F-13005 Marseille (FR). BENOIT, Olivier [FR/FR]; 22, rue Rastegue, F-13400 Aubagne (FR).
- (74) Mandataire: NONNEMACHER, Bernard: GEMPLUS. Avenue du Pic de Bertagne, Parc d'activités de Gémenos. F-13881 Gémenos (FR).
- (81) États désignés (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU,

[Suite sur la page suivante]

(54) Title: METHOD FOR COUNTERMEASURE IN AN ELECTRONIC COMPONENT USING A SECRET KEY ALGORITHM

(54) Titre : PROCEDE DE CONTRE-MESURE DANS UN COMPOSANT ELECTRONIQUE METTANT EN OEUVRE UN ALGORITHME DE CRYPTOGRAPHIE A CLE SECRETE




(57) Abstract: The invention concerns a countermeasure method in an electronic component using a secret key algorithm K on an input message M characterised in that the execution of an operation O_{PN} or of a sequence of operations comprising manipulating bit by bit an input information D, to supply an output information $O_{PN}(D)$, comprises the following steps: drawing a random value, of one first random information U, of identical size as the input information D; calculating s second random information V, by performing an exclusive OR between the input information and the first random information U; executing the operation $O_{PN}(D)$ or the sequence of operations successively to the first input information U and to the second random information V, supplying respectively a first random result $O_{PN}(U)$ and a second random result $O_{PN}(V)$.


[Suite sur la page suivante]



-



09/913884






FIG.3




FIG. 8




FIG.4




FIG. 5





FIG. 6



COMBINED DECLARATION FOR PATENT API (Includes Reference to Provisional and Interna	PLICATION AND POWER OF ATT tional (PCT) Applications)		Attorney's Docket No. 032326-161			
As a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name; I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (IF ONLY ONE NAME IS LISTED BELOW) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (IF PLURAL NAMES ARE LISTED BELOW) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:						
METHOD FOR COUNTERMEASURE IT	METHOD FOR COUNTERMEASURE IN AN ELECTRONIC COMPONENT USING A SECRET KEY ALGORITHM					
The specification of which (check only one ite is attached hereto. was filed as United States Paten						
JAN 1 6 2002 and was amended on		(if applicab	ole).			
was filed as International (PCT)	Application Number PCT/FRO	00/00130	-			
ononand was amended on	-	(if applicab	ole).			
I HAVE REVIEWED AND UNDERSTAND T INCLUDING THE CLAIMS, AS AMENDED	THE CONTENTS OF THE ABOV BY ANY AMENDMENT REFE	'E-IDENTIFIED S RRED TO ABOV	SPECIFICATION, E.			
I ACKNOWLEDGE THE DUTY TO DISCLO KNOWN TO ME TO BE MATERIAL TO PA REGULATIONS, Sec. 1.56 (as amended effec	TENTABILITY AS DEFINED IN	TRADEMARK (TITLE 37, COD	OFFICE ALL INFORMATION E OF FEDERAL			
I do not know and do not believe the said invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States of America more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States of America on any application filed by me or my legal representatives or assigns more than six months prior to said application;						
I hereby claim foreign priority benefits under Title 35, United States Code, §§ 119 (a)-(e) of any foreign application(s) for patent or inventor's certificate or of any International (PCT) Application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International (PCT) Application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed: PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §119:						
COUNTRY	APPLICATION NUMBER	DATE OF FILE				
(if PCT, indicate "PCT") France	99/01937	(day, month, y 17 February 1				
I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.						
(APPLICATION NUMBER)	(FILING DATE)					
(APPLICATION NUMBER)	(FILING DATE)					

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONT'D) (Includes Reference to Provisional and International (PCT) Applications)

Attorney's Docket No. 032326-161

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States applications(s) or International (PCT) Application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations § 1.56, which became available between the filing date of the prior application(s) and the national or international filing date of this application:

PRIOR LLS. APPLICATIONS OR INTERNATIONAL (PCT) APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. § 120:

U.S. APPLICATIONS				STATUS (check one)			
U.S. APPLICATION NUM		U.S. FILING DATE		PENDING	ABANDONE		
U.S. ALT EIGHTION NOIMBER			0				
PCT AP	PLICATIONS DESIGNATING T	HE U.S.					
PCT APPLICATION NO.	PCT FILING DATE	U.S. APPLICATION NUMBERS ASSIGNED (if any)					
PCT/FR00/00130	20 January 2000						
<u> </u>							

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the U.S. Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

William L. Mathis	17,337	Eric H. Weisblatt	30,505
Robert S. Swecker	19,885	James W. Peterson	26,057
Platon N. Mandros	22,124	Teresa Stanek Rea	30,427
Benton S. Duffett, Jr.	22,030	Robert E. Krebs	25,885
Norman H. Stepno	22,716	William C. Rowland	30,888
Ronald L. Grudziecki	24,970	T. Gene Dillahunty	25,423
Frederick G. Michaud, Jr.	26,003	Patrick C. Keane	32,858
Alan E. Kopecki	25,813	B. Jefferson Boggs, Jr.	32,344
Regis E. Slutter	26,999	William H. Benz	25,952
Samuel C. Miller, III	27,360	Peter K. Skiff	31,917
Robert G. Mukai	28,531	Richard J. McGrath	29,195
George A. Hovanec, Jr.	28,223	Matthew L. Schneider	32,814
James A. LaBarre	28,632	Michael G. Savage	32,596
E. Joseph Gess	28,510	Gerald F. Swiss	30,113
R. Danny Huntington	27,903	Charles F. Wieland III	33,096

Bruce T. Wieder	33,815
Todd R. Walters	34,040
Ronni S. Jillions	31,979
Harold R. Brown III	36,341
Allen R. Baum	36,086
Steven M. duBois	35,023
Brian P. O'Shaughnessy	32,747
Kenneth B. Leffler	36,075
Fred W. Hathaway	32,236
Wendi L. Weinstein	34,456
Mary Ann Dillahunty	34,576

21839

Address all correspondence to:

James A. LaBarre

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

P.O. Box 1404

Alexandria, Virginia 22313-1404

21839

Address all telephone calls to: ___

at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

gi ni gali igan bilaya pengua tahang penguanggan di kalanggi beberapan belanggan nggi katan gali. Penguang be

(Includes Reference to Provisional and International (PCT)			032326-161
FULL NAME OF SOLE OR FIRST INVENTOR Jean-Sebastien CORON	SIGNATURE		DATE 12/72/2007
RESIDENCE (CITY & STATE/COUNTRY) 45 rue d'Ulm, 75005 Paris, FRANCE	Ball	CITIZ: French	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS) 45 rue d'Ulm, 75005 Paris, FRANCE	1	•	
FULL NAME OF SECOND JOINT INVENTOR, IF ANY Nathalie FEYT	SIGNATURE	_	07/01/2002
RESIDENCE (CITY & STATE/COUNTRY) 20 rue du Licutenant J.P. Meschi, Batiment 6, 13005 Marseille, FRANCE	FRX	CITIZ: French	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS 20 rue du Lieutenant J.P. Meschi, Batiment 6, 13005 Marseille, FRANCE			
FULL NAME OF THIRD JOINT INVENTOR, IF ANY Olivier BENOIT	SIGNATURE		DATE 19/12/2007
RESIDENCE (CITY & STATE/COUNTRY) 22 rue Rastegue, 13400 Aubagne, FRANCE		CITIZ French	ENSHIP 1
POST OFFICE ADDRESS (HOME ADDRESS 22 rue Rastegue, 13400 Aubagne, FRANCE			
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS		1	
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS			
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY	SIGNATURE	****	DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS			
FULL NAME OF SEVENTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS			
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	L ENSHIP
POST OFFICE ADDRESS (HOME ADDRESS			
FULL NAME OF NINTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	L ZENSHIP
POST OFFICE ADDRESS (HOME ADDRESS)			·
FULL NAME OF TENTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE (CITY & STATE/COUNTRY)		CITIZ	ZENSHIP
POST OFFICE ADDRESS (HOME ADDRESS			

Page 3 of 3